# BATHROOM Collection by Cosentino®

**SILESTONE® DEKTON COSENTINO**° imagine & anticipate

THE ORIGINAL QUARTZ ULTRACOMPACT SURFACES


# BATHROOM Collection by Cosentino®

Bathroom Collection by Cosentino is a unique concept in the architectural sector, based on the use of single materials that offer superior performance and remarkable beauty.

The first of these, Silestone®, is a surface made with up to 90%\* of quartz with bacteriostatic protection available in some colours and a range of more than 70 exclusive colours.

The second, Dekton, is a revolutionary ultra-compact surface with high resistance, durability and versatility of design and texture. Both are large-format products manufactured exclusively by Cosentino®.

The aim of this concept is to offer architects one of the most exlusive ranges for walls and cladding with the widest choice in colours and textures. It also offers a new line in design of wash basins and shower trays made to order, based on the needs of each customer.



# Contents

OSENTINO® MATERIALS	8
LESTONE®	8
EKTON®	12
ARGE FORMAT	14
PPLICATIONS	16
JSTOM DESIGN	18
HOWER TRAYS	34
ASH-HAND BASINS	44
DLOUR CHART	58
CCESSORIES	64







#### SILESTONE®

#### Natural quartz surfaces

Silestone® is the best selling natural quartz surface in the world. This is not just by chance. Silestone is used both on floors as well as on kitchen and bath walls, with as few joints as possible.

Silestone's bacteriostatic protection makes it unique in the world market; life is fuller when it is filled with colour and textures. There is an endless range of proposals with physical and chemical properties that are the result of years of ongoing research.



#### Bacteriostatic protection

#### by Silestone®

Silestone® is the only brand that incorporates an antibacterial protection system in its composition.

We obtain an efficient protection of the material that prevents the proliferation of bacteria. Silestone surfaces therefore provide extra hygiene.

\*Consult colour availability



#### **ECO** Line Colour Series

#### by Silestone®

ECO Line Colour Series is our quest for sustainability. We gather the waste materials that we are all surrounded by to create a product with a composition of 75% recycled materials. Glass, porcelain, vitrified ashes and even water are reused to breathe new life into something that had previously expired.

The remaining 25% are natural materials and a resin of plant origin.









SILESTONE® ADVANTAGES



NATURAL **QUARTZ** 

**ANTISLIP** 

**ULTRA-FINE** 

BACTERIOSTATIC PROTECTION\*

LARGE FORMAT









WIDE RANGE OF COLOURS

DIFFERENT **TEXTURES** 


RESISTANT TO CHEMICALS


STAIN-RESISTANT

SCRATCH-RESISTANT

IMPACT-RESISTANT

# **TEXTURES**













#### **DEKTON®**

#### Ultra-compact surfaces

Dekton® is a sophisticated combination of raw materials used to make glass, next-generation porcelains and quartz surfaces, based on an exclusive technological process (TSP) which produces an accelerated version of the metamorphic changes suffered by natural stone after being exposed to high pressures and temperatures for thousands of years.

Dekton® is pressed using a 25,000-ton press which converts the slab into a large format, extremely resistant, ultra-compact surface.

#### Dekton® Beyond Surfaces

Thanks to the manufacturing technology used to make Dekton®, colours and textures with varied characteristics can be obtained, from solids with outstanding purity and chromatic homogeneity and materials with veins and movements that have a very natural appearance, to bolder colour ranges or products for environments that require a more industrial appearance.

#### **DEKTON® TSP**

#### Sinterised Particle Technology

TSP technology emulates in a few hours what nature takes thousands of years to do, through an exclusive technological process.

TSP is a process that performs sintering on mineral particles so that they link up and change

The electron microscope can appreciate the reduced porosity of the material, due to the sintering process and exclusive ultra-compaction of Dekton. Its zero porosity and the non-existence of the microflaws that cause tension and weaknesses set DEKTON® apart from other materials.



#### Ultra-compact surfaces

Thanks to the size and the lightness of Dekton (320 x 1440mm), the design possibilities for kitchens, bathrooms, façades, walls or high transit floors are growing exponentially.

# DEKTON® ADVANTAGES

DIFFERENT TEXTURES MAXIMUM RESISTANCE TO FIRE AND HEAT RESISTANCE TO FREEZING AND THAWING HIGHLY SCRATCH-ABRASION-RESISTANT STAIN-RESISTANT **RESISTANT** ALTA RESISTENCIA MECÁNICA REDUCED COLOUR STABILITY DIMENSIONAL STABILITY FIREPROOF MATERIAL HIGH RESISTANCE WATER TO HYDROLYSIS ABSORPTION


2 |

# LARGE FORMAT

One of the characteristics that makes the Bath Collection by Cosentino concept unique is its large format.

All the Cosentino® materials are manufactured in slab formats of more than 3 metres long by more than 1.4 wide. This enables us to cover the bathroom area with the smallest possible number of pieces, thereby obtaining greater continuity in design and better hygiene, due to the smaller number of joints.

Thanks to this extra-large slab format, it is not difficult to make XXL tiles for wash-hand basins, shower trays or floors and walls.







# SILESTONE® **APPLICATIONS**

- (A) CUSTOM LARGE FORMAT APPLICATIONS
- **B** FLOORING
- (c) PANELLING
- D WASH-HAND BASIN
- **E** SHOWER TRAYS

# DEKTON® APPLICATIONS

CUSTOM LARGE FORMAT APPLICATIONS (A)


FLOORING (B)

PANELLING (C)





## **CUSTOM** WASH-HAND BASINS



# **CUSTOM**DESIGN


A: Basic Wash-hand basin - Silestone® Montblanc / B: Dekton® - Borea

□□□□□


The entire Bathroom Collection is custom-made to order, in any of the 100+ Silestone, Eco or Dekton\* colours, in accordance with the taste of each client.

The product is adapted to the space and needs of each client.

Thanks to its large format production, Cosentino® can make unique jointless tiles in lengths of more than 3 metres and widths of more than 1.5 metres. For wash-hand basins, shower trays,panelling or bathroom floors.





## **CUSTOM** SHOWER TRAYS




# **CUSTOM DESIGN** OPERATIONS AVAILABLE

- A Changeable in shower and wash-hand basin valve position
- **B** Changeable in basin position
- D Additional basins
- E Cutting to adapt the product to the space, columns or other special architectural
- C Change in basin measurements Minimum 10 units Minimum 10 units Minimum 10 units Minimum 10 units I Slot in shower tray for boxes, special bevels, etc. In different positions.
  - **G** Tower holder at the front of the wash-hand basin
  - **H** Slot for paper towel box in wash-hand basin
- J Customised coping
- **K** Perimeter frame with a width of 4cm for supporting the
- L "Ad-hoc" designs, completely new, with illustration and client instructions - Minimum 50
- M Lateral support strut.







**ELEGANCE** model









# DESIGN AND INNOVATION

Cosentino® offers architects and designers a wide range of wash-hand basins and shower trays, placing special emphasis on distinction and exclusivity.

Architects and Designers are also invited to contribute with their experience and creativity to improve and enrich the collection with new projects and designs, which Cosentino is able to make real, thanks to its development and industrialisation capacity.

# COLOUR **AND HARMONY**

Colour and texture take on greater importance, through exclusive materials such as Silestone® and Dekton, which can be designed to mimic natural wood and stone and natural stone with coatings applied in modern architecture, such as oxides or microcement.









# SINGULAR **PROJECTS**

Cosentino® Bath Collection is a combination of exclusive materials and designs, industrial capacity and the fullest customised service in the world that will convert a bathroom in a hotel, home, airport, office or shopping mall into a singular space with the power to instantly seduce users.





# **SHOWER** TRAYS




BACTERIOSTATIC **PROTECTION** \*



**ULTRA-FINE** 

WIDE RANGE OF COLOURS





## FRECCIA

#### MEASUREMENTS (CM)

**Length** up to 300cm / **Width** up to 120cm

#### TEXTURES AVAILABLE

Polished or Suede + sandblasted strips (Antislip)

#### PACK INCLUDES

Shower tray

Drain valve (ref. 313943)

Silicone sealant

Installation and maintenance recommendations guide

#### OPTIONAL

Slot for screen (perimeter partition with a width of 30mm) Mitred frame with a width of 40mm

#### TECHNICAL NOTES


This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.



The tray surface has strips with a soft sandblasted finish, thanks to which it complies with the **highest** antislip classification based on the German DIN 51097:1992 standard.

For shower trays with lengths of more than 150cm the area exceeding 150cm will be a drying area with no gradient. Reinforced with fibreglass.





# **BUBBLES**

#### TEXTURES AVAILABLE

Polished or Suede + sandblasted strips (Antislip)

#### PACK INCLUDES

Shower trays

Drain valve (ref. 313943)

Silicone sealant

Installation guide and Maintenance recommendations

#### MEASUREMENTS (CM)

Length up to 300cm / Width up to 120cm

#### OPTIONAL

Slot for screen (perimeter partition with a width of 30mm) Mitred frame with a width of 30mm

#### TECHNICAL NOTES

This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.



The tray surface has strips with a soft sandblasted finish, thanks to which it complies with the **highest** antislip classification based on the CLASS **B** German DIN 51097:1992 standard.

For shower trays with lengths of more than 150cm the area exceeding 150cm will be a drying area with no gradient.



# **EXELIS**

#### MEASUREMENTS (CM)

Length up to 300cm / Width up to 300cm

#### TEXTURES AVAILABLE

Soft sand-blasted finish (antislip)

#### PACK INCLUDES

Shower trays Drain valve (ref. 313943) Silicone sealant Installation guide and Maintenance recommendations.

#### TECHNICAL NOTES

This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.



The tray surface has strips with a soft sandblasted finish, thanks to which it complies with the **highest** antislip classification based on the German DIN 51097:1992 standard.

The flat perimeter frame has a width of 4cm but may be custom-configured. The exit position is configurable. This shower tray model can be cut on the site.

# KADOR

MEASUREMENTS (CM)

**Length** up to 300cm / **Width** up to 120cm

#### TEXTURES AVAILABLE

Polished or Suede + sandblasted strips (Antislip)

#### PACK INCLUDES

Shower trays

Drain valve (ref. 312140)

Silicone sealant

Installation guide and Maintenance recommendations

#### OPTIONAL

Slot for screen (perimeter partition with a width of 30mm) Mitred frame with a width of 40mm

#### TECHNICAL NOTES

This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.



The tray surface has strips with a soft sandblasted finish, thanks to which it complies with the **highest** antislip classification based on the CLASS **c** German DIN 51097:1992 standard.

For shower trays with lengths of more than 150cm the area exceeding 150cm will be a drying area with no gradient.



# KADOR SUITE

Length up to 300cm / Width up to 120cm

MEASUREMENTS (CM)

#### TEXTURES AVAILABLE

Polished or Suede + sandblasted strips (Antislip)

#### PACK INCLUDES

Shower trays

Drain valve (ref. 313943)

Silicone sealant

Installation guide and Maintenance recommendations

#### OPTIONAL

Slot for screen (perimeter partition with a width of 30mm) Mitred frame with a width of 40mm

#### TECHNICAL NOTES


This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.



The tray surface has strips with a soft sandblasted finish, thanks to which it complies with the **highest** antislip classification based on the CLASS **c** German DIN 51097:1992 standard.

For shower trays with lengths of more than 150cm the area exceeding 150cm will be a drying area with no gradient. Reinforced with fibreglass





# **DOPPIO**

MEASUREMENTS (CM)

**Length** up to 300cm / **Width** up to 120cm

#### TEXTURES AVAILABLE

Polished or Suede + sandblasted strips (Antislip)

#### PACK INCLUDES

Shower trays Drain valve (ref. 312140) Silicone sealant

Installation guide and Maintenance recommendations

#### OPTIONAL

Slot for screen (perimeter partition with a width of 30mm) Mitred frame with a width of 40mm

#### TECHNICAL NOTES

This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.




The tray surface has strips with a soft sandblasted finish, thanks to which it complies with the **highest** antislip classification based on the CLASS **c** German DIN 51097:1992 standard.


41

For shower trays with lengths of more than 150cm the area exceeding 150cm will be a drying area with no gradient.

## BATHTUB - SHOWER TRAY **REPLACEMENT**



## SHOWER TRAY **INSTALLATION**








# WASH-HAND BASINS

BACTERIOSTATIC **PROTECTION**\*


CUSTOM DESIGN


ACCESSORIES

WIDE RANGE OF COLOURS









# **ARMONY**

#### MEASUREMENTS (CM)

Length from 70cm to 300cm Width from 45cm to 60cm

#### TEXTURES AVAILABLE

Polished or Suede

#### PACK INCLUDES

Wash-hand basin
Drain valve (ref. 313944)
Steel supports for mural installation
Silicone sealant
Installation guide
Maintenance recommendations guide

#### TECHNICAL NOTES

This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.

#### OPTIONAL

Wall coping
Towel holder opening

Additional basins: one or several additional basins can be added, depending on the counter length Lateral support strut.

47

# ELEGANCE

#### MEASUREMENTS (CM)

Length from 70cm to 300cm
Width from 45cm to 60cm

#### TEXTURES AVAILABLE

Polished or Suede

#### PACK INCLUDES

Wash-hand basin
Drain valve (ref. 313944)
Steel supports for mural installation
Silicone sealant
Installation guide

Maintenance recommendations guide


#### TECHNICAL NOTES

This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.

#### OPTIONAL

Wall coping
Towel holder opening
Additional basins: one or several additional basins
can be added, depending on the counter length
Lateral support strut





# **EXCLUSIVE** ONE / DUE S / DUE L / BALANCE

#### MEASUREMENTS (CM)

**ONE:** Length from 73cm to 300cm Width from 50 to 60cm

**DUE S:** Length from 50cm to 300cm Width from 57 to 60cm

**DUE L:** Length from 73cm to 300cm Width from 53 to 60cm

#### TEXTURES AVAILABLE

Polished

#### PACK INCLUDES

Wash-hand basin
Drain valve (ref. 307383)
Steel supports for mural installation
Silicone sealant
Installation guide
Maintenance recommendations guide


#### TECHNICAL NOTES

This wash-hand basin is available in a wide range of Silestone® colour; consult availability in price list

#### OPTIONAL

Wall coping
Towel holder opening
Additional basins: one or several additional basins
can be added, depending on the counter length
Lateral support strut

 $| 49 \rangle$ 



# BALANCE

#### MEASUREMENTS (CM)

Length from 70cm to 300cm Width 45cm to 60cm

#### TEXTURES AVAILABLE

Polished or Suede

#### PACK INCLUDES

Wash-hand basin
Drain valve (ref. 313944)
Steel supports for mural installation
Silicone sealant
Installation guide
Maintenance recommendations guide

#### TECHNICAL NOTES

This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.

#### OPTIONAL

Wall coping
Towel holder opening
Additional basins: one or several additional basins
can be added, depending on the counter length

# EQUILIBRIUM

#### MEASUREMENTS (CM)

Length from 70cm to 300cm Width from 45cm to 60cm

#### TEXTURES AVAILABLE

Polished or Suede

#### PACK INCLUDES

Wash-hand basin

Linear stainless steel basin with 41 mm outlet Code: 312142

Steel supports for mural installation Silicone sealant

Installation guide

Maintenance recommendations guide

#### TECHNICAL NOTES


This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.

#### OPTIONAL

Wall coping

Towel holder opening

Additional basins: one or several additional basins can be added, depending on the counter length



# SIMPLICITY

#### MEASUREMENTS (CM)

Length from 70cm to 300cm Width from 45cm to 60cm

#### TEXTURES AVAILABLE

Polished or Suede

#### PACK INCLUDES


Wash-hand basin Linear stainless steel basin with 41 mm outlet Code: 312142 Steel supports for mural installation Silicone sealant Installation guide Maintenance recommendations guide


#### TECHNICAL NOTES

This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.

#### OPTIONAL

Wall coping Towel holder opening Additional basins: one or several additional basins can be added, depending on the counter length Lateral support strut





# **SIMMETRY**

#### MEASUREMENTS (CM)

Cabinet-recessed or counter-top wash-hand basin 45x38x10

50x40x10

70x45x10

Counter-top wash-hand basin + Silestone® counter with 6 cm front or without front Counter length from 55cm to 300cm Counter width from 50cm to 60cm

#### TEXTURES AVAILABLE

Polished or Suede

#### PACK INCLUDES

Wash-hand basin Drain valve (ref. 313944) Steel supports for mural installation in model with Silestone® counter and front of 6cm Silicone sealant Installation guide Maintenance recommendations guide

#### TECHNICAL NOTES


This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.

#### OPTIONAL

Wall coping

Additional basins: one or several additional basins can be added, depending on the counter length

53



# BASIC

#### MEASUREMENTS (CM)

Cabinet-recessed or countertop wash-hand basin 45x28x7 66x33x8

Counter-top wash-hand basin + Silestone® counter with 6 cm front or without front Counter length from 55cm to 300cm Counter width from 43cm to 60cm

#### TEXTURES AVAILABLE

Polished or Suede

#### PACK INCLUDES

Wash-hand basin
Drain valve (ref. 313944)
Steel supports for mural installation in model with Silestone® counter and front of 6cm
Silicone sealant
Installation guide
Maintenance recommendations guide

#### TECHNICAL NOTES

This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.

#### OPTIONAL

Wall coping

Additional basins: one or several additional basins can be added, depending on the counter length

# SILENCE

#### MEASUREMENTS (CM)

**Length** from 70cm to 300cm **Width** from 45 to 60cm

Basin options: 50 X 30 cm 90 X 30 cm 120 X 30 cm

#### TEXTURES AVAILABLE

Polished or Suede

#### PACK INCLUDES

Wash-hand basin

Linear stainless steel basin with 41 mm outlet Steel supports for mural installation Silicone sealant Installation guide

Maintenance recommendations guide

#### TECHNICAL NOTES

This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.

#### OPTIONAL

Wall coping

Towel holder opening Additional basins: one or several additional basins can be added, depending on the counter length

Lateral support strut



# REFLECTION

#### MEASUREMENTS (CM)

Length from 70cm to 300cm
Width from 45 to 60cm

#### Basin options:

50 X 30 cm 90 X 30 cm 120 X 30 cm

#### TEXTURES AVAILABLE

Polished or Suede

#### PACK INCLUDES

Wash-hand basin

Linear stainless steel basin with 41 mm outlet Steel supports for mural installation in model with Silestone® counter and front of 6cm Silicone sealant Installation guide Maintenance recommendations guide

#### TECHNICAL NOTES


This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.


#### OPTIONAL

Wall coping

Towel holder opening

Additional basins: one or several additional basins can be added, depending on the counter length





# NOVA

#### MEASUREMENTS (CM)

Length from 70cm to 300cm Width from 45 to 60cm

Basin options: 50 X 30 cm 90 X 30 cm 120 X 30 cm

#### TEXTURES AVAILABLE

Polished or Suede

#### PACK INCLUDES

Wash-hand basin
Linear stainless steel basin with 41 mm outlet
Steel supports for mural installation
Silicone sealant
Installation guide
Maintenance recommendations guide


#### TECHNICAL NOTES

This tray can be supplied in any colour in the Silestone® and ECO Line Colour Series.

#### OPTIONAL

Towel holder opening Additional basins: one or several additional basins can be added, depending on the counter length Lateral support strut

SILESTONE® **COLOURS** 





58


Polished Texture 
Suede Texture


Volcano Texture



ECO LINE COLOUR SERIES

Polished Texture \*
Suede Texture








# **ACCESSORIES**



#### SHOWER TRAY VALVE WITH DETACHABLE SIPHON



#### WASH-HAND BASIN VALVE WITH DETACHABLE CLICK-CLACK SYSTEM







Shower trays: Exelis, Kador suite, Freccia and Bubbles

Wash-hand basins:

Kador and Doppio

Shower trays:

Code: 312140 Elegance, Armony, Basic, Balance and Simmetry

Code: 313944

WASH-HAND BASIN VALVE WITH DETACHABLE CLICK-CLACK SYSTEM

WASH-HAND BASIN DUCT WITH PERFORATED GRILLE MADE OF STAINLESS STEEL

WASH-HAND BASIN DUCT WITH PERFORATED GRILLE







Shower trays: Exclusive

Code:

307383

Code:

313943

Shower trays: Simplicity and Equilibrium

> Code: 312142

Shower trays: Silence, Reflection and Nova

> Code: N/A

WASH-HAND BASIN SUPPORTS



#### Wash-hand basins:

Elegance, Armony, Basic, Balance, Simmetry, Exclusive, Simplicity, Equilibrium, Silence, Reflection and Nova

Code:

94157



imagine & anticipate





Ctra. Baza a Huércal-Overa, km 59 / 04850 Cantoria - Almería (España) / Tel.: +34 950 444 175 / info@cosentino.com www.cosentino.com / www.silestone.com / www.dekton.com















